

Specify

23i
Sto

StorageWall

REG. U.S. PATENT OFF.
PREFABRICATED CABINETS

for • SCHOOL • DORMITORY
• INSTITUTIONAL • COMMERCIAL
• RESIDENTIAL USE

flexible

STORAGEWALL units are available in a wide range of stock sizes and types. Unlike other "built-ins", **STORAGEWALL** units can easily be moved from place to place.

space saver

STORAGEWALL cabinets have been designed and engineered to provide the maximum of storage in a minimum of space.

quality in production

STORAGEWALL The original prefabricated factory built cabinet works wood to a tolerance of $\frac{1}{32}$ ".

ready made

Eliminate conflicts on the job from misinterpreted plans or specifications. Eliminate chance with hit or miss carpentry. Ease supervision on the job.

save drafting time

No time-consuming or costly details required. List the type and show the sizes by catalog number directly on the elevation or plan.


factory assembly

All **STORAGEWALL** units are uniform products manufactured to a rigid, precise engineering standard, assembled by experienced, skilled craftsmen in a factory equipped with proper woodworking equipment.


easily installed

Everything comes cut and drilled to size. A level and screwdriver are all the tools required. However, **STORAGEWALL** quotes jobs installed.

Complete STORAGEWALL Data File Upon Request



A typical StorageWall Classroom Assembly. Notice three depths of cabinets—12", 18" and 24".



Unit 2101 Teachers Wardrobe
White Interiors



Unit 2304 Classroom Supply Cabinet
(Note $\frac{1}{4}$ " pegboard sliding doors
with bracing full length handle)



StorageWall Wardrobe Unit
(Note garment racks for
12" or 18" deep unit)

Design a Storage wall

The *Basic Principle* to bear in mind when designing with **STORAGEWALL** cabinets is that the "shells" of **STORAGEWALL** units (a group of cabinets form a "wall") are similar in detail throughout. The cabinets vary in height, width and depth by modules of six (6) inches. If the stock sizes shown on these pages are not adequate in type or size merely plan or specify into the "proper size shell" the equipment to do the job.

Color for interiors or panels as well as woods, types of doors, door pulls, formica tops, etc. are optional.

SYMBOLS FOR MODULAR SERIES CABINET SIZES

The individual **STORAGEWALL** cabinets vary in height, width and depth by multiples of six (6) inches. This standard unit of size is the **STORAGEWALL "Module"**.

The number below the unit in the diagram at the right gives the size of the unit in terms of this "Module".

The depth of a cabinet is indicated by a letter.

"A" stands for a 12" deep cabinet
 "B" " " " 18" " "
 "C" " " " 24" " "

These symbols are used to designate the cabinet sizes in ordering or layout on plan or elevation and is written directly on the layout or elevation together with a brief description of how the cabinet will be used. For example above, if a chest of drawers of this size is required the drawing would be designated as 84B or C CHEST OF DRAWERS or if a wardrobe is desired 84C WARDROBE, etc.

2'-0" (4 modules)

4'-0" (8 modules)




84


"MODULAR SERIES" CABINETS (Stock Sizes)

FOR DORMITORY, INSTITUTIONAL, COMMERCIAL AND RESIDENTIAL USE.


Unit or continuous bases not shown—3" standard height.




OPEN units
 Heights—2, 3, 4, 5, 6, 8 & 12 modules
 Widths—2, 3, 4, 5, 6 & 8 modules
 Depths—A, B & C
 Adjustable shelves



CUPBOARD units (with doors).
 Same stock sizes as open units.
 Adjustable shelves.
 Proper size cabinets can be hung on the wall or used as counter units in the kitchen.
 Sliding pegboard, or glass doors if desired.



CHEST OF DRAWERS
 Height—4, 6 & 8 modules
 Width—4, 5 & 6 modules
 Depth—B & C
 3, 5, 6, 7 & 8 drawers
 flush or surface mounted pull




TRAY unit
 Height—6 & 8 modules
 Width—4, 5 & 6 modules
 Depth—B & C
 With or without doors
 6 & 9 trays



FILE unit
 Height—4 or 8 modules
 Width—5 (standard) or 6 (legal)
 Depth—B or C
 Rolling metal or plastic slides.

CLASSROOM SERIES (Unit Numbers Shown are Stock Sizes)

TEACHERS WARDROBES



2101
 as shown above
 Height—75"
 Width—8 modules
 Depth—C



2102
 Height—75"
 Width—8 modules
 Depth—C No. 2102
 B No. 2102-B




2103
 Height—75"
 Width—8 modules
 Depth—C No. 2103
 B No. 2103-B



2104
 Height—75"
 Width—4 modules
 Depth—C No. 2104
 B No. 2104-B

STUDENT WARDROBES




2202
 as shown above
 Height—75"
 Width—8 modules
 Depth—C
 No. 2201—without doors
 No. 2202—with doors



2204
 Height—75"
 Width—8 modules
 Depth—C
 No. 2203—without doors
 No. 2204—with doors
 One or two adjustable shelves and rod




2207—with doors
2208—without doors
 Height—75"
 Width—8 modules
 Depth—C



2206
 Shelf and Pole
 Width—10 modules

CLASSROOM SUPPLY CABINETS



2301
 as shown above
 Height—75"
 Width—8 modules
 Depth—C
 No. 2301—with doors
 No. 2302—without doors
 Shelves can be tilted for roll paper holder.




2304—with doors
2307—without doors
 Height—75"
 Width—8 modules
 Depth—C
 See standard open or cupboard units above.




2305
 Height—75"
 Width—8 modules
 No. 2305—with doors
 No. 2306—without doors
 39 molded fiber glass "tote" trays.




2303
 Same as 2301, but with glass doors.




WARDROBE units
 Heights—8 & 12 modules
 Widths—4, 5, 6 & 8 modules
 Depths—A, B (garment racks) & C
 Adjustable shelf and satin chrome rod
 With or without doors
 Specify additional equipment needed
 i.e. shoe racks etc.




CLOSET FRONTS—Component fronts of StorageWall shipped K D, prime coated, complete with hardware
 Sizes made to order—when ordering specify types and dimensions, jamb widths and whether threshold is to be set on or flush with finished floor.




DESK
 Height 4 modules
 Width 5 & 6 modules
 Depth—A, B & C
 With adjustable pigeon holes and/or concealed light.
 Desk leaf folds up and flush.
 Leaf height 30" when placed on 2'-0" high unit and 3" base.




BAR
 Height 4 modules
 Width 5 & 6 modules
 Depth A, B & C
 Adjustable glass shelf. Concealed light optional.
 Liquor-proof lacquer on shelf which folds up, and flush.




VANITY
 Height—4 modules
 Widths—5 & 6 modules
 Depth—A, B & C
 With mirror and concealed light
 Drop leaf folds up and flush.
 Leaf height 30" when placed on 2'-0" high unit and 3" base.




MIRROR
 Select proper height and width
 A, B & C depth




RADIO-PHONOGRAPH
 Height 3 modules
 Width 6 modules
 Depth B or C
 Phonograph with or without door and with metal slides for tray
 Radio unit vented and with panel



RECORD DIVIDER RACK OR STORAGE TRAY
 Height 3 or 4 modules
 Width 4, 5 or 6 modules
 Depth B or C
 Divides removable—Select proper size for vertical or horizontal filing
 With or without doors



SPEAKER
 Select proper size for speaker to be housed
 Panel cut if speaker size is specified



TELEVISION
 Select proper size for mounting, (revolving or stored), Television Unit.
 With or without doors, paneling etc. Specify type of doors or panelling. Unit vented.

COUNTER UNITS



2501—as shown
 2502—hinged doors
 2503—sliding doors



2504




2505
 2506—hinged doors
 Height—27", 30", 34", 36"
 Width—48"
 Depth—24"
 See standard open or cupboard units above for additional sizes.




2508

WALL-HANGING UNITS




2611
 Height—4 modules
 Width—8 modules
 Depth—A




2612
 Height—5 modules
 Width—6 modules
 Depth—A

SINK UNITS



Height—2506—27" or 30"—Incl. Base
 2507—34" or 36"—Incl. Base
 Width—12 modules
 Depth—C




Height—2513—27" or 30"—Incl. Base
 2514—34" or 36"—Incl. Base
 Width—12 modules
 Depth—C



Height—2517—27" or 30"—Incl. Base
 2518—34" or 36"—Incl. Base
 Width—8 modules
 Depth—C

MOVABLE UNITS



3403C—with casters
 3403L—with legs
 2401C or L—without doors
 2402C or L—with hinged doors



3404C—with casters
 3404L—with legs



3405C—with casters
 3405L—with legs
 3406C or L—with hinged doors



3408C—with casters
 3408L—with legs




3409C—with casters
 3409L—with legs




3407C—with casters
 3407L—with legs
 Adjustable shelves both sides
 Height—27", 30", 34", 36"
 Width—8 modules
 Depth—C

See cupboard units in modular series above for other sizes.


THE "4000 SERIES" CABINETS




4403C—with casters
4403L—with legs
4401C or L—without doors
4402C or L—with hinged doors
Height—27", 30", 34", 36"
Width—8 modules
Depth—C



4405C—with casters
4405L—with legs
4406C or L—with hinged doors
Height—27", 30", 34", 36"
Width—8 modules
Depth—C




4408C—with casters
4408L—with legs
4409C or L—5 drawer unit
Height—27", 30", 34", 36"
Width—8 modules
Depth—C



NESTING TABLES
Metal frame


4607
4608
4609
4610




4625—Mobile Student
Wardrobe
54" high x 48" wide x 24" deep




4404C—with casters
4404L—with legs
Height—27", 30", 34", 36"
Width—8 modules
Depth—C



4407C—with casters
4407L—with legs
Height—27", 30", 34", 36"
Width—8 modules
Depth—C
Adjustable shelves both sides



4602C—with casters
4602L—with legs
Woodworking vise
Metal working vise
Metal frame
52" high x 48" wide x 18" deep




CLAY CART

4604C—with casters
4604L—with legs
22" or 25" high x 18" wide x 18" deep


BLOCK CART

4605C—with casters
4605L—with legs
22" or 25" high x 18" or 36" wide x 18" deep



4619—Mobile
Book Unit

4620—with re-
versible cork and
chalkboard on back
side, 52" high x 48"
wide x 18" deep



The StorageWall "4000 Series" cabinet. Structural aluminum frame with full length pull.

SPECIAL FEATURES OF STORAGEWALL

The rib and channel principle of construction, exclusive with **STORAGEWALL**, protects against warpage, insures a strong, structural wall and permits safe, concealed electrical wiring to run horizontally and vertically between the units (see drawing below) and through the base. Electrical outlets may be installed on the 3" standard base. **STORAGEWALL** is a structural unit in itself and need not require blocking to wall or ceiling, assuring no damage to plaster in new construction or remodelling. All **STORAGEWALL** units, by nature of their construction and design are finished flush on the interior. The quality of **STORAGEWALL** is apparent in that the tolerance used in working the wood is $\frac{1}{32}$ ".



AIA Offices, Chicago, Illinois
StorageWall in walnut with white interiors.

STORAGEWALL OF:

CALIFORNIA-Northern 921 W. Fremont	Div. of Valley Showcase & Fixture Co. Stockton
COLORADO 7th & Larimer	Div. of Hallack & Howard Lumber Co. Denver
CONNECTICUT P. O. Box 7	Div. of Tariffville Mfg. Co. Tariffville
ILLINOIS-Northern 165 W. Wacker Drive	Boyd-Britton Assoc. Chicago
ILLINOIS 546 E. Cerro Gordo St.	Div. of Lyon Mfg. Co. Decatur
INDIANA P. O. Box 389	Div. of Willman Lumber Co. Hartford City
IOWA P. O. Box 328	Div. of Calmar Mfg. Co. Calmar
MINNESOTA Northwest Bank Bldg.	James C. Nystrom Co. Minneapolis
NEW YORK 194 Cottage St.	Div. of Hoe Corporation Poughkeepsie
WISCONSIN P. O. Box E	Div. of Chadwick Mfg. Co. Coleman
CANADA-ONTARIO P. O. Box 5	StorageWall of Ontario Georgetown

For complete **STORAGEWALL** information write to:
BOYD-BRITTON 165 W. Wacker Dr. CHICAGO, ILL.

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Carol J. Dyson, AIA